



DeVilbiss Automotive Refinishing Recommended Spray Gun Settings for House of Kolor Topcoats					
Coating Type	Product	Spray Gun	Fluid Tip Size	Air Cap No.	Inlet Pressure (PSI)
Basecoat	HOK Basecoats, Kandy Kolors, SG100, SG150, S2-SG100	TEKNA® Basecoat HVLP	1.3-1.4	HV20	14-18
		TEKNA® Clearcoat High Efficiency	1.3-1.4	TE25	16-26
		TEKNA® Clearcoat HVLP	1.4	HV30	20-24
		TEKNA® ProLite & PRO HVLP	1.4	HV30	20-24
		TEKNA® ProLite & PRO High Efficiency	1.3-1.4	TE10/TE20	16-26
		TEKNA® Copper/QuickClean HVLP	1.4	909	22-26
		TEKNA® Copper/QuickClean High Efficiency	1.3-1.4	7E7	18-22
		SRiPro™ High Efficiency	1.0	TS1	22-29
Clearcoat	UFC-35, UFC-19, UC-35, USC01, UKK01, UCC01, URC01, UC-21	TEKNA® Clearcoat High Efficiency	1.3	TE25	16-26
		TEKNA® Clearcoat HVLP	1.3	HV30	20-24
		TEKNA® ProLite & PRO HVLP	1.3	HV30	20-24
		TEKNA® ProLite & PRO High Efficiency	1.3	TE10/TE20	16-26
		TEKNA® Copper/QuickClean HVLP	1.3	909	22-26
		TEKNA® Copper/QuickClean High Efficiency	1.3	7E7	18-22
		SRiPro™ High Efficiency	1.0	TS1	22-29
		SRiPro™ HVLP	1.3	HS1	22-29

DeVilbiss®, TEKNA®, CVi®, PLUS®, GTi® and PRi® are registered trademarks of DeVilbiss Automotive Refinishing. All other marks are registered trademarks of their respective owners and are not affiliated with DeVilbiss Automotive Refinishing.

Updated 2/15/18